Boone (BO) 2020 Rankings

| County | Demogra | ohics |
|---------|-----------|-------|
| Confire | Donnograp | |

| | County | State |
|--|--------|-----------|
| Population | 26,346 | 3,156,145 |
| % below 18 years of age | 21.3% | 23.2% |
| % 65 and older | 18.4% | 17.1% |
| % Non-Hispanic Black | 1.2% | 3.8% |
| % American Indian & Alaska Native | 0.5% | 0.5% |
| % Asian | 0.5% | 2.7% |
| % Native Hawaiian/Other Pacific Islander | 0.0% | 0.1% |
| % Hispanic | 2.7% | 6.2% |
| % Non-Hispanic White | 94.2% | 85.3% |
| % not proficient in English | 0% | 2% |
| % Females | 49.5% | 50.2% |
| % Rural | 50.6% | 36.0% |
| | | |

| | Boone County | Error Margin | Top U.S. Performers ^ | Iowa | Rank (of 99) |
|------------------------------|-----------------|-----------------|--------------------------|-------|--------------|
| Health Outcomes | | | | | 28 |
| Length of Life | | | | | 13 |
| | | | | | |
| Premature death | 4,900 | 3,900-5,800 | 5,500 | 6,200 | |
| Quality of Life | | | | | 56 |
| | | | | | |
| Poor or fair health ** | 14% | 13-15% | 12% | 14% | |
| Poor physical health days ** | 3.2 | 3.1-3.4 | 3.1 | 3.3 | |
| Poor mental health days ** | 3.7 | 3.5-3.9 | 3.4 | 3.6 | |
| Low birthweight | 6% | 5-7% | 6% | 7% | |

Additional Health Outcomes (not included in overall ranking)

| Life expectancy | 79.4 | 78.5-80.3 | 81.1 | 79.4 |
|----------------------------------|------|-----------|------|------|
| Premature age-adjusted mortality | 280 | 240-310 | 270 | 320 |
| Child mortality | | | 40 | 50 |
| Infant mortality | | | 4 | 5 |
| Frequent physical distress | 10% | 9-10% | 9% | 10% |
| Frequent mental distress | 11% | 11-11% | 11% | 11% |
| Diabetes prevalence | 9% | 6-13% | 7% | 10% |
| HIV prevalence | 71 | | 41 | 98 |

| Health Factors | | | | 35 | |
|----------------------------------|-------|--------|-------|-------|--|
| Health Behaviors | | | | 62 | |
| | | | | | |
| Adult smoking ** | 16% | 15-17% | 14% | 17% | |
| Adult obesity | 36% | 29-43% | 26% | 33% | |
| Food environment index | 8.5 | | 8.6 | 8.2 | |
| Physical inactivity | 25% | 20-31% | 20% | 24% | |
| Access to exercise opportunities | 86% | | 91% | 83% | |
| Excessive drinking ** | 21% | 21-22% | 13% | 22% | |
| Alcohol-impaired driving deaths | 35% | 22-48% | 11% | 27% | |
| Sexually transmitted infections | 294.5 | | 161.4 | 441.6 | |

14-21

13

19

Additional Health Behaviors (not included in overall ranking)

| Food insecurity | 10% | | 9% | 11% |
|---------------------------------|-----|--------|-----|-----|
| Limited access to healthy foods | 4% | | 2% | 6% |
| Drug overdose deaths | | | 10 | 10 |
| Motor vehicle crash deaths | 14 | 9-20 | 9 | 11 |
| Insufficient sleep | 29% | 28-30% | 27% | 28% |

Teen births

| 21/2020 | - , | | ikings & rtoaumaps | | |
|--|--|---|---|---|----|
| Clinical Care | | | | | 26 |
| Uninsured Primary care physicians Dentists Mental health providers Preventable hospital stays Mammography screening Flu vaccinations | 4% 2,040:1 2,200:1 1,390:1 4,128 50% 59% | 3-5% | 6% 1,030:1 1,240:1 290:1 2,761 50% 53% | 5% 1,370:1 1,500:1 640:1 3,808 51% 53% | |
| Additional Clinical Care (not incli | uded in (| overall rankii | ng) | | |
| Uninsured adults Uninsured children Other primary care providers | 5% 2% 2,927:1 | 4-6% 2-3% | 7% 3% 665:1 | 7% 3% 990:1 | |
| Social & Economic Factors | | | | | 23 |
| High school graduation Some college Unemployment Children in poverty Income inequality Children in single-parent households Social associations Violent crime Injury deaths | 94% 68% 2.1% 10% 3.7 30% 14.0 277 68 | 62-74% 6-13% 3.3-4.1 22-38% 55-84 | 96% 73% 2.6% 11% 3.7 20% 18.4 63 58 | 91% 70% 2.5% 14% 4.2 29% 15.2 282 67 | |
| Additional Social & Economic Fa | ctors (n | ot included i | n overall ran | king) | |
| Disconnected youth Reading scores Math scores Median household income Children eligible for free or reduced price lunch Residential segregation - Black/White Residential segregation - non-white/white Homicides Suicides Firearm fatalities Juvenile arrests | 3.4 3.2 \$63,100 35% 65 46 12 10 35 | \$57,400-68,800 7-20 5-17 | 4% 3.4 3.4 \$69,000 32% 23 14 2 11 | 5% 3.1 3.1 \$60,100 40% 62 48 2 14 9 37 | |
| Physical Environment | | | | | 70 |
| Air pollution - particulate matter ** Drinking water violations Severe housing problems Driving alone to work Long commute - driving alone | 9.1 No 12% 83% 28% | 10-14% 81-85% 25-32% | 6.1 9% 72% 16% | 9.0 12% 81% 20% | |
| Additional Physical Environment (not included in overall ranking) | | | | | |
| Traffic volume Homeownership Severe housing cost burden | 190 77% 8% | 75-79% 6-10% | 81% 7% | 1,461 71% 10% | |

^ 10th/90th percentile, i.e., only 10% are better.
** Data should not be compared with prior years
Note: Blank values reflect unreliable or missing data

Areas of Strength